

Methods

Object

toString
toLocaleString
valueOf
hasOwnProperty
isPrototypeOf
propertyIsEnumerable

String

charAt
charCodeAt
fromCharCode
concat
indexOf
lastIndexOf
localeCompare
match
replace
search
slice
split
substring
substr
toLowerCase
toUpperCase
toLocaleLowerCase
toLocaleUpperCase

RegExp

test
match
exec

Array

concat
join
push
pop
reverse
shift
slice
sort
splice
unshift

Number

toFixed
toExponential
toPrecision

Date

parse
toDate
toISOString
getTime
getDate
getDay
getFullYear
getHours
getMilliseconds
getMinutes
getMonth
getSeconds
getTime
getTimezoneOffset
getYear
setDate
setHours
setMilliseconds
setMinutes
setMonth
setSeconds
setYear
toLocaleTimeString

JavaScript

XMLHttpRequest

Safari, Mozilla, Opera:

```
var req = new XMLHttpRequest();
```

Internet Explorer:

```
var req = new  
ActiveXObject("Microsoft.XMLHTTP");
```

XMLHttpRequest Object Methods

```
abort()  
getAllResponseHeaders()  
getResponseHeader(header)  
open(method, URL)  
send(body)  
setRequestHeader(header, value)
```

XMLHttpRequest Object Properties

```
onreadystatechange  
readyState  
responseText  
responseXML  
status  
statusText
```

XMLHttpRequest readyState Values

0	Uninitiated
1	Loading
2	Loaded
3	Interactive
4	Complete

JAVASCRIPT IN HTML

External JavaScript File

```
<script type="text/javascript"  
src="javascript.js"></script>
```

Inline JavaScript

```
<script type="text/javascript">  
<!--  
    // JavaScript Here  
//-->  
</script>
```

Functions

Window

alert
blur
clearTimeout
close
focus
open
print
setTimeout

Built In

eval
parseInt
parseFloat
isNaN
isFinite
decodeURI
decodeURIComponent
encodeURIComponent
encodeURIComponent
escape
unescape

REGULAR EXPRESSIONS - FORMAT

Regular expressions in JavaScript take the form:

```
var RegEx = /pattern/modifiers;
```

REGULAR EXPRESSIONS - MODIFIERS

/g	Global matching
/i	Case insensitive
/s	Single line mode
/m	Multi line mode

REGULAR EXPRESSIONS - PATTERNS

^	Start of string
\$	End of string
.	Any single character
(a b)	a or b
(...)	Group section
[abc]	Item in range (a or b or c)
[^abc]	Not in range (not a or b or c)
a?	Zero or one of a
a*	Zero or more of a
a+	One or more of a
a{3}	Exactly 3 of a
a{3,}	3 or more of a
a{3,6}	Between 3 and 6 of a
!(pattern)	"Not" prefix. Apply rule when URL does not match pattern.

EVENT HANDLERS

onAbort	onMouseDown
onBlur	onMouseMove
onChange	onMouseOut
onClick	onMouseOver
onDbClick	onMouseUp
onDragDrop	onMove
onError	onReset
onFocus	onResize
onKeyDown	onSelect
onKeyPress	onSubmit
onKeyUp	onUnload
onLoad	

FUNCTIONS AND METHODS

A method is a type of function, associated with an object. A normal function is not associated with an object.

Available free from
AddedBytes.com

DOM Methods

Document

clear
createDocument
createDocumentFragment
createElement
createEvent
createEventObject
createRange
createTextNode
getElementsByTagName
getElementById
write

Node

addEventListener
appendChild
attachEvent
cloneNode
createTextRange
detachEvent
dispatchEvent
fireEvent
getAttributeNS
getAttributeNode
hasChildNodes
hasAttribute
hasAttributes
insertBefore
removeChild
removeEventListener
replaceChild
scrollIntoView

Form

submit

DOM Collections

item

Range

collapse
createContextualFragment
moveEnd
moveStart
parentElement
select
setStartBefore

Style

getPropertyValue
setProperty

Event

initEvent
preventDefault
stopPropagation

XMLSerializer

serializeToString

XMLHTTP

open
send

XMLDOM

loadXML

DOMParser

parseFromString