

jQuery CSS - CSS

Get css property of element.	<code>\$("#elementid").css(property);</code>
Set multiple properties.	<code>\$("#elementid").css({'border':'1px solid red', 'font-size':'12px', 'font-weight:bold'});</code>
Set single property.	<code>\$("#elementid").css('border', '1px solid red');</code>

jQuery CSS - Height and Width

Get the current height of element.	<code>\$("#elementid").height();</code>
Set the current height of element.	<code>\$("#elementid").height(120);</code>
Get the current width of element.	<code>\$("#elementid").width();</code>
Set the current width of element.	<code>\$("#elementid").width(170);</code>
Get the inner height (height of element incl. padding excl. border) of element.	<code>\$("#elementid").innerHeight();</code>
Get the inner width (width of element incl. padding excl. border) of element.	<code>\$("#elementid").innerWidth();</code>
Get the outer height (height of element incl. padding and border) of element. If true param passed in also includes margin height.	<code>\$("#elementid").outerHeight();</code> <i>or</i> <code>\$("#elementid").outerHeight(true);</code>
Get the outer width of element (see outer height notes above).	<code>\$("#elementid").outerWidth();</code> <i>or</i> <code>\$("#elementid").outerWidth(true);</code>

jQuery Attributes - Attr

Get the ID of element.	e.g. <code>\$("#elementid div:first-child").attr("id");</code>
Set the ID of element.	e.g. <code>\$("#elementid div:first-child").attr("id", "my_new_id");</code>
Remove the ID attribute from an element.	<code>\$("#elementid").removeAttr("id");</code>

jQuery CSS - Positioning

Get the offset (position of element relative to the page). Returned as an object.	<code>var offset = \$("#elementid").offset();</code> <code>alert(offset.left);</code> <code>alert(offset.top);</code>
Get the position (position of element relative to parent). Returned as object.	<code>var position = \$("#elementid").position();</code> <code>alert(position.left);</code> <code>alert(position.top);</code>
Get scrollbar vertical position. Works on any element with scrollbar.	<code>\$(window).scrollTop();</code>
Set scrollbar vertical position.	<code>\$(window).scrollTop(700);</code>
Get scrollbar horizontal position.	<code>\$(window).scrollLeft();</code>
Set scrollbar horizontal position.	<code>\$(window).scrollLeft(400);</code>

Stylesheets

Change single stylesheet.	<code>\$("#link[rel=stylesheet]").attr({href : "css/sheet_a.css"});</code>
Switch particular stylesheet.	<code>\$("#link[rel=stylesheet][href=css/sheet_c.css]").attr({href : "css/sheet_a.css"});</code>
Add a stylesheet.	<code>\$("#head").append('<link rel="stylesheet" type="text/css" href="css/sheet_a.css" />');</code>

jQuery Attributes - Class

Add a class to an element.	<code>\$("#elementid").addClass("class");</code>
Check element has a particular class.	<code>\$("#elementid").hasClass("class");</code>
Remove a class from an element.	<code>\$("#elementid").removeClass("class");</code>
Remove a class if element has it otherwise add the class.	<code>\$("#elementid").toggleClass("class");</code>